

Respiratory protection masks

EOR® folded range



NHS APPROVED SUPPLIER



FFP1

FFP2

FFP3



EOR® Respiratory protection folded mask



Hypoallergenic, soft and ultra-light (less than 6 g), the EOR® mask offers both unique comfort and maximum hygiene (individual packaging) for the wearer. The EOR® mask also ensures perfect sealing and reduced breathing effort due to its larger breathing surface. It adapts to different morphologies thanks to its adjustable nasal strip, always ensuring maximum comfort. Designed for everyday use, at the best price, even in FFP3 class - highest filtration level (99%).

Value-Added from Valmy

- Greater respiration area
- Leak tightness
- Colour coded printing to indicate protection level
- Fits all faces
- Ultra-lightweight (less than 6g)
- Dispenser box



Breathe easy, we've got you protected

Product Specifications

- Measurements: 227 x 98 mm.
- Thickness: 2 mm.
- Weight: less than 6 g.
- Single use.
- Non woven.
- Latex free.
- Colour - white.
- Dual hard wearing elastic straps.
- Adjustable nose piece.
- Hypoallergenic & soft.
- Individually wrapped for hygiene.
- Lifetime: 5 years from manufacture date.

Material Specifications

- Filter media: Polypropylene.
- Ear loop: Polypropylene, Polyamide, Elastane.
- Nose piece: Steel & Polypropylene.
- Individual packaging: Polypropylene.

Approvals

- Logo and legal mentions printed on the mask.
- CE marking in conformity with standards EN 149: 2001 + A1: 2009.

Standards

- Our EOR® masks meet basic safety requirements laid down by the Council Directive 89/686/EEC. They meet all relevant European Standards. EN 149: 2001 + A1: 2009 by a notified body. Classification by three filtration levels : FFP1 – FFP2 – FFP3.
- Our testing and notified laboratory has given us the « IC » label : this means that our quality management system is above the standards requirements ; our products offer more quality and more reliability that what is required by EN 149:2001 + A1:2009 standard.


FFP1 Anti-contamination **FFP2** Anti-virus (avian flu, SRAS, tuberculosis), antipollution, anti-allergenic. **FFP3** Anti-virus (infection respiratory pathogens), anti-bacterial (legionella).

Ref.	EN 149: 2001 + A1: 2009				Class
	Media filter penetration (paraffin oil)	Breathing resistance inhalation 95 L/min	Breathing resistance exhalation 160 L/min		
VR 102F	 1.30 % (for 20.0 permitted)	 1.09 mbar (for 2.1 permitted)	 1.62 mbar (for 3.0 permitted)		FFP1
VR 202F	 1.30 % (for 6.0 permitted)	 1.09 mbar (for 2.4 permitted)	 1.62 mbar (for 3.0 permitted)		FFP2
VR 302F	 0.22 % (for 1.0 permitted)	 1.41 mbar (for 3.0 permitted)	 2.13 mbar (for 3.0 permitted)		FFP3
VRE 202F	 3.90 % (for 6.0 permitted)	 1.66 mbar (for 2.4 permitted)	 2.10 mbar (for 3.0 permitted)		FFP2

*Particles size paraffin 0.3µ



Breathe easy, we've got you protected



Part Numbers	Description	Class	Masks quantity	Measurements (L x l x H) - mm	Gross weight (Kg)
VR102F-05C	Case of 4 boxes of 25 masks Eor®	FFP1	100	400 x 300 x 145	1.25
VR202F-03C	Case of 4 boxes of 25 masks Eor®	FFP2	100	400 x 300 x 145	1.25
VRE202F-03C	Case of 4 boxes of 25 masks Eor® SMALL SIZE	FFP2	100	400 x 300 x 145	1.25
VR302F-07C	Case of 4 boxes of 25 masks Eor®	FFP3	100	400 x 300 x 145	1.35
VR102F-05V	Case of 100 masks Eor®	FFP1	100	400 x 300 x 145	1.00
VR202F-03V	Case of 100 masks Eor®	FFP2	100	400 x 300 x 145	1.00
VRE202F-03V	Case of 100 masks Eor® SMALL SIZE	FFP2	100	400 x 300 x 145	1.00
VR302F-07V	Case of 100 masks Eor®	FFP3	100	400 x 300 x 145	1.15

Pallet

Description	Class	Masks quantity	Measurements (L x l x H) - mm	Average gross weight (Kg)
Pallet of 96 cases of 4 boxes of 25 masks Eor®	FFP1 / FFP2	9600	1200 x 800 x 1950	135.00
Pallet of 96 cases of 4 boxes of 25 masks Eor® SMALL SIZE	FFP2	9600	1200 x 800 x 1950	135.00
Pallet of 96 cases of 4 boxes of 25 masks Eor®	FFP3	9600	1200 x 800 x 1950	145.00
Pallet of 96 cases of 100 masks Eor®	FFP1 / FFP2	9600	1200 x 800 x 1950	110.00
Pallet of 96 cases of 100 masks Eor® SMALL SIZE	FFP2	9600	1200 x 800 x 1950	110.00
Pallet of 96 cases of 100 masks Eor®	FFP3	9600	1200 x 800 x 1950	125.00



Head office, Factory & Export Department
VALMY SAS - Rue Benjamin Franklin
 42300 MABLY - FRANCE
 Tél. : +33 (0)4 77 23 11 21 - Fax +33 (0)4 77 72 54 57
info@valmy.eu - export@valmy.eu - www.valmy.eu

UK & Ireland Distribution
VALMY SAS Ltd - Units 21 & 23 Scott Road
 Off Park Avenue - LUTON - Beds - LU3 3BF
 Tel. +44 (0)1582 563600 - Fax +44(0)1582 563323
uk-sales@valmy.eu - www.valmy.eu