

Benchmark**BMG445**

NITRILE, POWDER-FREE, SINGLE USE GLOVE

Lightweight, powder-free, single-use gloves with textured fingertips.

FEATURES

- › 100% premium quality nitrile, thickness 0.1mm
- › Textured finish on the fingertips to enhance grip
- › Lightweight and comfortable with a 'second skin' feel
- › Powder-free, non-sterile
- › Category III
- › AQL 4.0
- › Latex free
- › Beaded cuff



SUITABLE FOR


Typical Industries

- Aerospace
- Chemical
- Electronics
- Food
- Pharmaceutical
- Manufacturing
- Oil and Gas

Suitable Applications

- Chemical Handling
- Food Handling
- Handling Oily Components
- Laboratory Analysis
- Light Assembly
- Paint Spraying

CERTIFICATION



See overleaf for explanation

Benchmark**BMG445****PRODUCT INFORMATION**

MATERIALS	LINER:	Nitrile
	COATING:	–
COLOUR	Blue	
LENGTH (mm)	240 mm	
CUFF STYLE	Beaded	

RECOMMENDATIONS FOR USE

- **USE:** Single use glove. Not suitable for thermal, electrical, heavy chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth.
Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

ORDERING DETAILS

SIZE	CODE	PACKAGING
6½-7/S	BMG00445DD	100 singles per box
7½-8/M	BMG00445DF	
8½-9/L	BMG00445DH	10 boxes per case
9½-10/XL	BMG00445DJ	

CERTIFICATION LEGENDS

RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%	B	≥30 min for at least 3 chemicals
C	Acetonitrile	L	Sulphuric acid 96%	C	≥10 min for at least 1 chemical
D	Dichloromethane	M	65% Nitric acid		
E	Carbon Disulfide	N	99% Acetic acid		
F	Toluene	O	25% Ammonium hydroxide		
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofuran	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)



FOOD CONTACT DIRECTIVE 2002 / 72 EC

EUROPEwww.globus.co.uk**E:** sales@globus.co.uk**T:** +44 (0)161 877 4747**F:** +44 (0)161 877 4746**MIDDLE EAST AND AFRICA**www.globusgroup.com/gcc**E:** gcc@globusgroup.com**T:** +971 4 882 9962**F:** +971 4 882 9963**Globus**
GROUP

Globus (Shetland) Ltd, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM
 Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2020 Globus (Shetland) Ltd | BMK-DATA-445C_1020_1