

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Everbuild Fill & Skim

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### 1.3 Details of the supplier of the safety data sheet

Company : Everbuild – A Sika Company  
Site 41  
Knowsthorpe Way  
Cross Green Industrial Estate  
Leeds  
West Yorkshire LS9 0SW  
United Kingdom

Telephone : 0113 240 3456

E-mail address : everbuild.sds@uk.sika.com

### 1.4 Emergency telephone number

Emergency telephone number : 0044 113 240 3456 (office hours only)

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Type of product : Mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

| Chemical name | Classification | Concentration |
|---------------|----------------|---------------|
|---------------|----------------|---------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

| CAS-No.<br>EC-No.<br>Registration number                                    | (REGULATION (EC)<br>No 1272/2008) | [%]          |
|---|-----------------------------------|--------------|
| 2-(2-butoxyethoxy)ethanol<br>112-34-5<br>203-961-6<br>01-2119475104-44-XXXX | Eye Irrit.2; H319                 | >= 1 - < 2,5 |

Remarks : Substances with a workplace exposure limit

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Remove contact lenses.  
Keep eye wide open while rinsing.
- If swallowed : Do not induce vomiting without medical advice.  
Rinse mouth with water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : See Section 11 for more detailed information on health effects and symptoms.
- Risks : No known significant effects or hazards.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products : No hazardous combustion products are known

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

### 6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Components with workplace control parameters

| Components                | CAS-No.  | Value | Control parameters *              | Basis * |
|---------------------------|----------|-------|-----------------------------------|---------|
| 2-(2-butoxyethoxy)ethanol | 112-34-5 | TWA   | 10 ppm<br>67,5 mg/m <sup>3</sup>  | GB EH40 |
|                           |          | STEL  | 15 ppm<br>101,2 mg/m <sup>3</sup> | GB EH40 |

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety glasses

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.

Butyl rubber/nitrile rubber gloves (0,4 mm),  
Recommended: Butyl rubber/nitrile rubber gloves.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing and stirring work.

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.  
organic vapor filter (Type A)  
A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm  
Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Methods for determining inhalation exposure). This applies in particular to the mixing / stirring area. In case this is not sufficient to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.

#### Environmental exposure controls

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

General advice : No special environmental precautions required.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| Appearance                             | : paste                                 |
| Colour                                 | : off-white                             |
| Odour                                  | : slight                                |
| Odour Threshold                        | : No data available                     |
| Flash point                            | : Not applicable                        |
| Autoignition temperature               | : No data available                     |
| Decomposition temperature              | : No data available                     |
| Lower explosion limit (Vol-%)          | : No data available                     |
| Upper explosion limit (Vol-%)          | : No data available                     |
| Flammability                           | : No data available                     |
| Explosive properties                   | : No data available                     |
| Oxidizing properties                   | : No data available                     |
| pH                                     | : 8 - 9<br>at<br>20 °C                  |
| Melting point/range / Freezing point   | : No data available                     |
| Boiling point/boiling range            | : No data available                     |
| Vapour pressure                        | : 23 hPa                                |
| Density                                | : 0,94 g/cm <sup>3</sup>                |
| Water solubility                       | : No data available                     |
| Partition coefficient: n-octanol/water | : No data available                     |
| Viscosity, dynamic                     | : No data available                     |
| Viscosity, kinematic                   | : > 20,5 mm <sup>2</sup> /s<br>at 40 °C |
| Relative vapour density                | : No data available                     |
| Evaporation rate                       | : No data available                     |

## 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not classified based on available information.

#### Components:

##### 2-(2-butoxyethoxy)ethanol:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): ca. 2.700 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 Results of PBT and vPvB assessment**

#### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6 Other adverse effects**

#### **Product:**

Additional ecological information : There is no data available for this product.

---

## **SECTION 13: Disposal considerations**

### **13.1 Waste treatment methods**

Product : The generation of waste should be avoided or minimized wherever possible.  
Empty containers or liners may retain some product residues.  
This material and its container must be disposed of in a safe

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

way.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

---

### SECTION 14: Transport information

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

No data available

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Prohibition/Restriction

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : None of the components are listed (=> 0.1 %).



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017

Version 0.0

Print Date 13.07.2017



BUILDING TRUST



REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH Information: All substances contained in our Products are  
- preregistered or registered by our upstream suppliers, and/or  
- preregistered or registered by us, and/or  
- excluded from the regulation, and/or  
- exempted from the registration.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

VOC-CH (VOCV) : 1,09 %  
no VOC duties

VOC-EU (solvent) : 1,11 %

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture: : Environmental Protection Act 1990 & Subsidiary Regulations  
Health and Safety at Work Act 1974 & Subsidiary Regulations  
Control of Substances Hazardous to Health Regulations (COSHH)  
May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

### 15.2 Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

### Full text of H-Statements

H319 Causes serious eye irritation.

### Full text of other abbreviations

Eye Irrit. Eye irritation  
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route  
CAS Chemical Abstracts Service  
DNEL Derived no-effect level  
EC50 Half maximal effective concentration  
GHS Globally Harmonized System  
IATA International Air Transport Association  
IMDG International Maritime Code for Dangerous Goods  
LD50 Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)  
LC50 Median lethal concentration (concentrations of the chemical in air that

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## Everbuild Fill & Skim

Revision Date 13.07.2017



BUILDING TRUST



Version 0.0

Print Date 13.07.2017

|        |   |
|--------|---|
| MARPOL | kills 50% of the test animals during the observation period)<br>International Convention for the Prevention of Pollution from Ships,<br>1973 as modified by the Protocol of 1978  |
| OEL    | Occupational Exposure Limit   |
| PBT    | Persistent, bioaccumulative and toxic   |
| PNEC   | Predicted no effect concentration   |
| REACH  | Regulation (EC) No 1907/2006 of the European Parliament and of the<br>Council of 18 December 2006 concerning the Registration, Evaluation,<br>Authorisation and Restriction of Chemicals (REACH), establishing a<br>European Chemicals Agency |
| SVHC   | Substances of Very High Concern   |
| vPvB   | Very persistent and very bioaccumulative  |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.



Changes as compared to previous version !