according to Regulation (EC) No 1907/2006

Revision date: 20.11.2017

Rems Spezial Spraydose 600ml

Article No.: 140105

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rems Spezial Spraydose 600ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water-soluble cooling lubricant.

1.3. Details of the supplier of the safety data sheet

Company name:	REMS GmbH & Co. KG	
Street:	Stuttgarter Strasse 83	
Place:	D-71332 Waiblingen	
Telephone:	+49 (0) 7151 / 1707-0	Telefax: +49 (0) 7151 / 1707-110
e-mail:	info@rems.de	
Internet:	www.rems.de	
Responsible Department:	Produktsicherheit / Product Safety	
1.4. Emergency telephone	Germany: +49 (0) 7161 / 802-400	
<u>number:</u>	In England and Wales: NHS Direct: 08	845 4647 or 111 In Scotland: NHS 24 - 08454
	24 24 24 In Republic of Ireland: 01 80	9 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Danger

Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

Precautionary statements

outionaly oluto	
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

Without adequate ventilation, formation of explosive mixtures may be possible.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

Revision date: 20.11.2017

Rems Spezial Spraydose 600ml

Article No.: 140105

Page 2 of 8

Chemical characterization

Mixture containing compressed gas.

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulati	on (EC) No. 1272/2008 [CLP]	•	
64742-53-6	distillates (petroleum), hydrotreated	light naphthenic		10 - < 20 %
	265-156-6	649-466-00-2 01-2119480375-34		
	Asp. Tox. 1; H304			
68002-96-0	alcohols, C16-18, ethoxylated, propoxylated			2.5 - < 5 %
	614-209-5			
	Aquatic Chronic 3; H412			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

according to Regulation (EC) No 1907/2006

Revision date:	Rems Spezial Spraydose 600ml	
20.11.2017	Article No.: 140105	Page 3 of 8

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Vapours of flammable solvents can accumulate in the gas phase of closed container, especially during heat treatment. Therefore keep away from fire and sources of ignition. Provide earthing of containers, equipment, pumps and ventilation facilities. Use only non-sparking tools. Recommendation: Wear anti-static footwear and clothing

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect against direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

See chapter 7. No additional measures necessary.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Eye/face protection

Eye glasses with side protection.

Hand protection

Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 120 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

according to Regulation (EC) No 1907/2006

Revision date:	Rems Spezial Spraydose 600ml	
20.11.2017	Article No.: 140105	Page 4 of 8
	easures are not possible or insufficient, respiratory prot	
	ratus: Filtering Half-face mask (DIN EN 149), e.g. FFA EN 136/140) + Combination filtering device (EN 14387)	
Environmental exposure controls Do not allow to enter into surface wa	ater or drains.	
SECTION 9: Physical and chemical p	roperties	
9.1. Information on basic physical and ch	emical properties	
Physical state:	Aerosol	
Colour:	brownish	
Odour:	characteristic	
		Test method
pH-Value:	not applicable	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Pour point:	not applicable	
Flash point:	not applicable	
Explosive properties The product is: not explosive. Heatin flammable/explosive vapour-air mixt		nay form
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Ignition temperature:	not determined	
Decomposition temperature:	No information available.	
Vapour pressure:	not determined	
Density (at 15 °C):	0,758 g/cm³	DIN EN ISO 12185
Water solubility:	emulsifiable	
Partition coefficient:	not determined	
Viscosity / dynamic:	not applicable	
Viscosity / kinematic:	not applicable	
Flow time:	not applicable	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
No information available.		
SECTION 10: Stability and reactivity		
10.1. Reactivity No information available.		
10.2. Chemical stability		
No information available.		
10.3. Possibility of hazardous reactions		

No hazardous reaction when handled and stored according to provisions.

according to Regulation (EC) No 1907/2006

Rems Spezial Spraydose 600ml

Article No.: 140105

Page 5 of 8

10.4. Conditions to avoid

Heat.

Revision date: 20.11.2017

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience

Other observations

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel. Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68002-96-0	alcohols, C16-18, ethoxyla	ted, propoxy	ylated				
	Acute fish toxicity	LC50 mg/l	>100		Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50	>10 mg/l		Pseudokirchneriella subcapitata	OECD 202	
	Acute crustacea toxicity	EC50	>10 mg/l		Daphnia magna (Big water flea)	OECD 202	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects No data available

according to Regulation (EC) No 1907/2006

Revision date: 20.11.2017

Rems Spezial Spraydose 600ml

Article No.: 140105

Page 6 of 8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
	2
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2.1
14.4. Packing group:	-
Hazard label:	2.1
	2
Marine pollutant:	NO
Special Provisions:	63, 190, 277, 327, 344, 9
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS, flammable
14.3. Transport hazard class(es):	2.1
14.4. Packing group:	-
Hazard label:	2.1

959

according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006			
Revision date: 20.11.2017	Rems Spezial Spra Article No.: 1	-	Dago 7 of 9
20.11.2011	Article NO	140105	Page 7 of 8
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity:	A145 A167 A802 30 kg G Y203 E0		
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	7 2	203 75 kg 203 150 kg	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
14.6. Special precautions for user No data available			
14.7. Transport in bulk according to Annex No data available	II of Marpol and the IBC	<u>Code</u>	
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	lations/legislation speci	fic for the substance or mixture	
EU regulatory information			
Restrictions on use (REACH, annex XVII) Entry 28: butane	:		
2010/75/EU (VOC):	37,3 % (282,7 g/l)		
National regulatory information			
Water contaminating class (D):	2 - clearly water contar	minating	
15.2. Chemical safety assessment			
Chemical safety assessments for sub-	stances in this mixture we	ere not carried out.	
SECTION 16: Other information			
Agreement concerning the Internation	port international des man al Carriage of Dangerous ort international ferroviaire of Dangerous Goods by F Dangerous Goods ciation inization ivision of the American Cl	rchandises dangereuses par route (European Goods by Road) e des marchandises dangereuses (Regulations Rail) hemical Society)	

PNEC: Predicted No Effect Concentration

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration

ErC50: EC50 in terms of reduction of growth rate

VwVwS: Verwaltungsvorschrift wassergefährdende Stoffe

according to Regulation (EC) No 1907/2006

Revision date: 20.11.2017	Rems Spezial Spraydose 600ml Article No.: 140105	Page 8 of 8
Relevant H and EUH statements (number and full text)		

i statements (number and full

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects.

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)