# SAFETY DATA SHEET Pocket Rocket Bulk

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Pocket Rocket Bulk

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubricant with PTFE PC24 Lubricants, greases, release products

#### 1.3. Details of the supplier of the safety data sheet

Supplier Aerosol Solutions Ltd

Unit C2 Bridgefield Ind Est

Draycott Road Breaston Derby DE72 3DS T 01332 870030 F 01332 870033

sales@aerosolsolutions.co.uk

## 1.4. Emergency telephone number

Emergency telephone 01332 870 030

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Asp. Tox. 1 - H304

Environmental hazards Not Classified

Human health Prolonged skin contact may cause redness and irritation. Gas or vapour in high

concentrations may irritate the respiratory system.

**Environmental** The product contains a substance which may cause long-term adverse effects in the aquatic

environment.

#### 2.2. Label elements

#### **Pictogram**



Signal word Danger

**Hazard statements** H304 May be fatal if swallowed and enters airways.

**Precautionary statements** P273 Avoid release to the environment.

P102 Keep out of reach of children. P280 Wear protective gloves.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container in accordance with local regulations.

#### **Pocket Rocket Bulk**

Supplemental label

information

RCH002b For professional users only.

Contains Odourless Kerosene

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Odourless Kerosene 60-100%

CAS number: — EC number: 926-141-6 REACH registration number: 01-

2119456620-43

Classification

Asp. Tox. 1 - H304

Hydrocarbon waxes (petroleum), oxidised

1-5%

<1%

CAS number: 64743-00-6 EC number: 265-205-1 REACH registration number: 01-

2119972699-13-XXXX

Classification

Eye Irrit. 2 - H319

MONOCYCLIC TERPENE

CAS number: 5989-27-5 EC number: 227-813-5 REACH registration number: 01-

2119529223-47

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

**General information** Remove affected person from source of contamination.

**Inhalation** Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. DO NOT induce vomiting. Get medical attention

immediately.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Rinse with water. Get medical attention if any

discomfort continues.

#### **Pocket Rocket Bulk**

# 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

# SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

# 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

Cool containers exposed to heat with water spray and remove them from the fire area if it can

be done without risk.

Special protective equipment

for firefighters

firefighting

Use protective equipment appropriate for surrounding materials.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Provide adequate ventilation. Avoid inhalation of vapours and contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

**Usage precautions** Read and follow manufacturer's recommendations.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

# 8.1. Control parameters

## Occupational exposure limits

Odourless Kerosene

Long-term exposure limit (8-hour TWA): OEL 1200 mg/m³

#### MONOCYCLIC TERPENE

Long-term exposure limit (8-hour TWA): No std.

#### **Pocket Rocket Bulk**

OEL = Occupational Exposure Limit.

Ingredient comments WEL = Workplace Exposure Limits SUP = Supplier's recommendation.

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours and spray/mists. Observe any

occupational exposure limits for the product or ingredients.

Personal protection When using do not smoke.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. The following protection should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. Polyvinyl alcohol (PVA). Viton rubber (fluoro rubber).

The most suitable glove should be chosen in consultation with the glove

supplier/manufacturer, who can provide information about the breakthrough time of the glove

material.

Hygiene measures Wash hands after handling. Wash at the end of each work shift and before eating, smoking

and using the toilet. Use appropriate hand lotion to prevent defatting and cracking of skin.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn.

#### **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Amber.

Odour Hydrocarbons.

Initial boiling point and range 190 -280°C @

Flash point 70°C

**Evaporation rate** 600 (diethyl ether = 1)

Upper/lower flammability or

explosive limits

Lower flammable/explosive limit: 0.5% Upper flammable/explosive limit: 6%

Vapour pressure 0.15 hPa @ 2°C

Vapour density > 1

Relative density 0.8 @ °C

Solubility(ies) Immiscible with water.

Auto-ignition temperature >200°C

Viscosity <=2 mm2/s @ 40°C

**Explosive properties** Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

**Comments** Information given is applicable to the major ingredient.

9.2. Other information

Other information Not available.

Volatile organic compound This product contains a maximum VOC content of 800 g/l.

#### Pocket Rocket Bulk

## SECTION 10: Stability and reactivity

10.1. Reactivity

**Reactivity** Stable at normal ambient temperatures and when used as recommended.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Does not decompose when used and stored as recommended.

10.4. Conditions to avoid

**Conditions to avoid** Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Keep away from oxidising materials, heat and flames.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or

vapours.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

General information This product has low toxicity. Only large quantities are likely to have adverse effects on

human health.

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system.

Skin contact Repeated exposure may cause skin dryness or cracking.

**Eye contact** Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health

hazards

Irritating to skin. Contents may cause lung damage if swallowed. Aspiration into the lungs may

cause chemical pneumonitis. In high concentrations, vapours and aerosol mists have a

narcotic effect and may cause headache, fatigue, dizziness and nausea.

Route of exposure Skin and/or eye contact

Target organs Skin Eyes

Medical symptoms Skin irritation.

#### SECTION 12: Ecological Information

**Ecotoxicity**The product contains a substance which is harmful to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

**Toxicity** Not available.

## 12.2. Persistence and degradability

Persistence and degradability Not available.

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

#### **Pocket Rocket Bulk**

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

Not available.

assessment

12.6. Other adverse effects

Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EH40/2005 Workplace exposure limits.

The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

**EU legislation** Commission Regulation (EU) No 453/2010 of 20 May 2010.

## **Pocket Rocket Bulk**

Guidance Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations.

Approved Classification and Labelling Guide (Sixth edition) L131.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**Revision comments** Supplemental information added.

Revision date 19/06/2018

Revision 3

SDS number 11489

SDS status Approved.

Hazard statements in full H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.